

Apparel Impact Institute (Aii) Climate Solutions Portfolio (CSP) Application

Version 1.0 | Last Updated: 11/14/2024

Applications are due on or before 17:00 January 17, 2025, US Pacific. Please follow submission instructions on Aii's website.

Contents

1. CSP Program Overview	3
1.1. Program Context and Purpose	3
1.2. Supplier Electrification Grants	4
1.3. CSP Advisory Council (CSPAC)	6
1.4. Application Process	6
1.5. Overview of Evaluation Methodology	7
1.6. Other Important Notes	9
2. Application Questions	10
2.1. Organizational information	11
2.2. Solution Overview	11
2.3. Category of Solution	12

2.4. Reach	13
2.5. Effectiveness	14
2.6. Scale Estimate, Including Cost of the Solution	16
2.7. Ready Reckoner Calculations	20
2.8. Funding Request	21
3. Invitation to Pitch	22
4. Application Feedback	23
5. Appendices	24
5.1. Appendix A – Effectiveness Calculation & Ready Reckoner: Solutions Impact Evaluator	24
5.2. How to Calculate the Effectiveness of the Solution	25
5.3. How to use the Ready Reckoner	28
5.4. Appendix B – Example Calculations Ready Reckoner: Solutions Impact Evaluator	32
5.5. Appendix C – Grant Reporting Requirements	37

1. CSP Program Overview

1.1. Program Context and Purpose

The apparel/textile industry is a major contributor to global CO₂e emissions. Science tells us the industry must reduce emissions at least 50% by 2030 and achieve net zero by 2050. Many leading brands and retailers have made reduction commitments in the Science Based Targets initiative (SBTi) consistent with these goals.

The apparel/textile industry is facing three key challenges in achieving its necessary CO₂e reductions:

1. **What solutions exist to reduce emissions?** Stakeholders struggle to locate science-backed initiatives and programs with the potential to support their CO₂e reduction goals.
2. **Which solutions are credible and verifiable?** A limited amount of unstandardized data on the effectiveness of many of these solutions creates uncertainty and confusion about their efficacy.
3. **Which solutions do we prioritize?** Fragmented coordination across the industry around priorities and timelines slows down the scaling of proven programs. Failure to “follow the tonnes of CO₂e” opens the door to spending time and money where it is easiest to start rather than to where it delivers the largest results.

At Apparel Impact Institute, our mission is to identify, fund, and scale science-based, measurable programs within the apparel and footwear industry. In 2022, we proudly introduced the Climate Solutions Portfolio (CSP), an initiative designed to champion and fund a curated collection of solutions set on lowering greenhouse gas reductions in apparel and footwear manufacturing. Our goal is to simplify and accelerate the adoption of proven and promising solutions that tackle emissions and create a positive impact.

We break down solutions into innovations, projects, or programs that deliver measurable CO₂e reductions. Our focus is on identifying those solutions that can help the industry reach its bold target of a 50% emissions reduction by 2030.

With our funding, we want to help grant applicants:

- Demonstrate and prove success in reducing emissions
- Reduce the cost per tonne CO₂e saved (\$/tCO₂e)
- Improve the business case to increase adoption by unlocking barriers to scale

- Accelerate scale
- Become part of our program deployment and blended capital financing pipeline

1.2. Supplier Electrification Grants

Problem Statement

- Electrification technologies are not going to be widely deployable due to technological limitations, cost, and widespread availability of green electricity until 2030-2035 (actual dates will depend on geography).
- To ensure technical innovation, compatibility with processes, and cost reductions, electrification pilots need to take place. Pilots should be pursued where facilities procure enough green energy for partial electrification of processes and units. In these instances, the key barriers are risk and cost to the supplier.
- Aii is looking to support such pilot projects with grant funding to gather sectoral learnings that can be disseminated.
- Aii hopes to create sufficient case studies demonstrating technical feasibility, cost competitiveness, and CO₂ emissions reductions so that when the time is right for widespread electrification, there are examples to follow.

We know suppliers have already identified such projects. We want to facilitate the pilots, tests, and trials that suppliers wish to undertake by reducing the financial risk with grant funding.

Grant Purpose

We're seeking trial electrification technologies (heat pumps, thermal storage) and/or process innovations (making processing machinery compatible with electrification technologies or solutions that result in dramatic thermal energy need reduction, improving the business case for electrification) to enable future scaled deployment of electrification.

Aii's grant funding should be used for projects that would otherwise not take place because they are too risky/expensive for suppliers to take on themselves.

Scope:

- Case studies for successful heat pump or thermal storage deployment
- Innovations at the process/machinery level to enable compatibility with electrification technologies such as heat pumps
- Innovations at the process/machinery level to enable dramatic thermal energy need reduction, demonstrating how electrification can be more feasible over time as thermal energy needs reduce


Project Requirements

- Suppliers must be prepared to share data, outcomes and learnings from the project to Aii. Aii will disseminate these learnings to the sector.
- The project under consideration must be replicable across other facilities. While the risk to undertake a pilot may be high, the solution should be close to or at commercialization, such that once the learnings are disseminated, other suppliers with the same conditions could replicate. (We understand that ultimately replication will also depend on facilities' energy mix. This refers to the technology itself, not the enabling conditions which we know will take time to be realized.)
- The applicant is not responsible for the scalability, but should present a project scope such that it will enable other suppliers to follow the learnings and implement the technology when the conditions are right for them to do so.
- All projects must deliver CO2 savings and applications must come with projected savings data, aligned to Aii's Ready Reckoner Solution Impact Evaluator.

Applications are due on or before 17:00 January 17, 2025, US Pacific. Please follow the submission instructions on Aii's website. We look forward to reviewing your application!

1.3. CSP Advisory Council (CSPAC)

The CSPAC is composed of Aii staff, apparel/textile experts, and industry representatives. When the CSPAC’s expertise is limited, it will engage subject matter experts to help evaluate applications.



1.4. Application Process

We aim to continually improve our process in response to user experience, stakeholder feedback, and availability of better industry data.

The application process will follow the following timeline. Please note: We will be in touch if we need additional information or if you are invited to pitch. **If you do not hear from us by the first week of mid-February this means, unfortunately, your application has not been successful.**

Application Opens	Application Closes	Screening	CSPAC Evaluation	Invitation to Pitch	CSPAC Decision	Project Kick-off
November 19th	January 17th	January	February	February	March	April

- **Application Release** – Aii releases CSP application to public. Applicants review the materials and send any clarifying questions to CSPHelp@apparelimpact.org.
- **Application Submission** – Applicants have 60 days to complete the application. Applications can be submitted through the online form at any time during this stage. If supporting materials cannot be uploaded to the online application, documents should be sent to CSPHelp@apparelimpact.org.
- **Initial Application Screening** – Using the grant concept note, Aii reviews applications for fit, completeness, and clarity, and follows up with clarifying questions or requests for additional information.
- **Application Evaluation** – Eligible and complete applications are assessed for their CO₂e reduction potential by Aii; the CSP Advisory Council (CSPAC); and subject matter experts, if needed. The annual tCO₂e reduction potential is calculated using a tool developed by the CSPAC: “The Ready Reckoner: Solutions Impact Evaluator” (“Ready Reckoner”).
- **CSPAC Evaluation & Invitation to Pitch** – The CSPAC decides which solutions are shortlisted and invited to pitch. These pitches give the solution an opportunity to bring their application to life. The pitch will include a presentation (using Aii’s template), a detailed cost breakdown for the grant amount requested, and a Q&A session with the CSPAC.
- **CSPAC Final Evaluation & Board Sign-Off** – Based on the pitches, CSPAC decides on finalists and submits them to the Aii Board for approval. Subsequently, the Aii Board will sign off and successful applicants will be notified.

1.5. Overview of Evaluation Methodology

The CSP application is designed to identify solutions with data indicating real tCO₂e reductions for textile/apparel manufacture.

We consider three specific criteria when evaluating applications:

- **Reach** – How much of the industry can the solution be applied to? (e.g., All wet processing? Acrylic knitwear manufacture only?)
- **Effectiveness** – What are the % energy/tCO₂e savings the solution is estimated to deliver relative to a typical industrial baseline? (Baselines are provided in the appendix to the Ready Reckoner).
 - The Ready Reckoner combines the Reach and Effectiveness and auto-calculates the Maximum Potential Savings (MPS) of tCO₂e for the solution

- **Scale** – What is a realistic estimate for the roll-out/scale-up of the solution in terms of the % MPS that can be achieved over a realistic timescale (e.g. will it be rolled out to 1%, 5%, 10%, or 30% of the MPS by the end of the project funding)?
- Proposals requesting grant funding at a lower percentage of overall project cost and projects bringing co funding from brands/technology suppliers will be given preference in decision making.

Using a database that includes baseline energy use and tCO₂e emissions for the most widely used materials and processes, the Ready Reckoner ner auto-calculates the annual tCO₂e reduction potential of the solution – and calculates this relative to the size of funding. All applicants must use the Ready Reckoner to calculate the solution’s tCO₂e reduction potential. Details from the calculations must be inserted into the relevant sections of the grant application.

The energy use and emission baselines in the Ready Reckoner are calculated for supply chain tiers, processes, and even sub-processes using data from the WRI “Roadmap to Net Zero” report, other publicly available data sources, and subject matter experts’ professional judgment. We have used typical model processes to create baselines against which all solutions must be compared (these are contained in an appendix to the Ready Reckoner).

By going to this level of detail, we can assess the potential real-world emission reductions of proposed solutions in a given timescale – typically by the end of the project funding and by December 31, 2030.

To complete the grant application and to use the Ready Reckoner, applicants must:

- know exactly where their solution is applied at a sub-process level (to allow Reach to be auto-calculated)
- calculate the effectiveness of their solution compared to Aii baselines
- be able to provide realistic projections of how the solution can be rolled out/scaled to achieve CO₂e savings

It is important that applicants read the detailed advice on how to calculate effectiveness relative to Aii baselines, which can be found in the Ready Reckoner: Solution Impact Evaluator (guidance on how to do this can be found in Appendix A). Please review the guidance and the demo of the tool (available on the CSP application hub) **before** completing the grant application.

Aii's calculations are intended to be used ONLY for the CSP application process and are not intended for uses outside of this process.

As you complete your application, please contact us at csphelp@apparelimpact.org if you think we have overlooked something that is necessary to present the benefits of your solution adequately.

We will strive to continuously improve our methodology, incorporating better data as it emerges. We thank you for your patience and invite your feedback and additional data to enhance our understanding of baselines as our evaluation process evolves.

1.6. Other Important Notes

Confidentiality

Aii encourages applicants to be as transparent with their responses as possible, particularly regarding a solution's effectiveness and reach, so that we can be publicly accountable for our decision-making. At the same time, we recognize the need for business confidentiality in some cases. Applicants are requested to explicitly note any confidential data or text. All information marked as such will be kept strictly confidential and proprietary. Aii staff, CSPAC members, and select subject matter experts (if utilized) will be privy to the confidential components of the application materials only while under NDA with Aii. If you have any concerns about submitting data under this policy, please let us know.

Units and Labels

Please clearly label graphs, charts, diagrams, etc., specifying units for any numeric figures in your application or supplementary data. Please use the following units:

- Monetary figures in US Dollars (USD\$)
- Energy use figures in kilowatt hours (kWh) – according to baseline processes in the Ready Reckoner
- tCO₂e emission figures in metric tons of carbon dioxide equivalent (mtCO₂e). Please note where MT (with a capitalized M) is used – this refers to megatonnes

Where applicable, please normalize figures to the appropriate economic or operational variable (e.g., USD\$ per unit/per kg CO₂e reduced/per machine/per ton of raw material/per kg production, etc.).

Solution details

Maintaining transparency regarding any barriers to scaling and potential adverse consequences of your solution is crucial. We cannot support projects that have adverse consequences on water impacts, chemical issues, human rights, local environmental pollution, health, or biodiversity. If your solution involves chemicals, we ask that you provide documentation ensuring a clear understanding of what we are funding. Furthermore, if there are patents associated with your solution, please include them as part of your application.

Data

We require specific data to assess the effectiveness, reach, and scale of the proposed solution. Our preference is to receive impact calculations based on **measured data**; however, we recognize that some solutions may not have primary and measured data at the point of application due to where they are in the commercialization cycle. If your project is in the pre-seed or pilot phase, we will accept projected emissions savings or secondary data. For technology-driven applications, submission of the innovation's performance data is essential.

Where **estimated data is** being used, we will require the underlying assumptions behind the scenario analysis and its associated parameters such that this estimation can be evaluated. Where **secondary sources** are used, we expect that the secondary data and associated studies selected are as closely related to the conditions of the applying solution as possible. It must be clear where your solution is similar to or differs from the secondary source being used. Where calculations have been made based on secondary data, we require a methodological explanation of the assumptions used so that the reviewing experts and advisory council members can assess to what extent the calculations are realistic.

2. Application Questions

In this section we list all the questions you will need to respond to in the application along with some guidance on how to respond to them. Please refer to this guidance as you fill out the application form.

2.1. Organizational information

Contact Information	
1. Company / organization submitting application:	
2. Company/organization website:	
3. Country where the organization is based:	
4. Joint applicant/sub-grantee organizations:	If you are applying as a consortium of applicants that will jointly deliver this project, please list the other applicants here.
5. Are there any endorsements or supporters of this project? Please list them here.	These are peers, brands, or other stakeholders that have expressed non-financial support for this project.
6. Primary contact full name:	
7. Primary contact email:	
8. Primary contact phone number:	
9. Primary contact location (city, country)	
10. Other relevant personnel associated with the Solution (include email contact information if you want them included in follow-up communication from Aii):	Successful organizations will be invited to pitch via email in June. Please make sure all relevant personnel who should be copied on such an email are listed here. This will be particularly important if the primary contact may be out of the office.

2.2. Solution Overview

Solution Description

11. Name of Solution:	
12. Please provide a brief description of the Project	How does this solution support the sector's electrification ambitions, as outlined in the concept note? Please explain the technical mechanisms by which this solution reduces emissions. Please also provide an overview of how you intend to implement the technology in your facility. 250-word limit.
13. What obstacles or challenges prevent the wider deployment of this technology or process innovation?	Please provide a clear explanation of the challenge(s) and how they limit scalability or commercialization of this solution. Why is it not yet widely implemented? 150-word limit.
14. How do you plan to overcome this challenge with the help of this grant?	Please explain how grant funding will address the challenge(s) identified and enable the project to move forward. 150-word limit.
15. How will success be evaluated in accordance with the purpose of the grant?	What does success look like for this project? What are the specific outcomes - in addition to reducing emissions - that will move the sector forward to its decarbonization goals? Please state any associated KPI's. 150-word limit.

2.3. Category of Solution

Solution Description	
16. Please select all technology or innovation focuses that apply to this grant project <ul style="list-style-type: none"> • Heat pumps • Thermal energy storage • Facility process machinery innovations for compatibility with electrification technologies • Electricity heating technologies (Electric Resistance Heating, Infrared Heating, Electric Radiant heating) • Electric drying technologies 	

<ul style="list-style-type: none"> • Process changes or technological innovations that dramatically reduce thermal energy need • Other 	
<p>17. What makes this solution technically innovative or unique?</p>	<p>Please explain any novel aspects of the technology, process , or context in which you intend to implement your solution. What about this project is doing something new? 150-word limit.</p>
<p>18. In which country does your project take place?</p> <ul style="list-style-type: none"> • Bangladesh • China • India • Indonesia • Pakistan • Region of Taiwan • South Korea • Turkey • Vietnam • Other 	

2.4. Effectiveness

Definition: The Effectiveness of a solution is the % amount of CO₂e emissions reduced per kg of production relative to Aii baselines

Please note that it is a requirement for your CO₂e % reductions to be made relative to our baselines, which are provided in the appendix to the Ready Reckoner. This helps us to objectively compare the Effectiveness of solutions. Calculations done in the provided documents should be uploaded into the application. Should you wish to include your own calculations relative to your baselines, please do; however, we will be focusing on the reduction potential relative to the standard baselines for consistency.

Please read the instructions on how to calculate effectiveness and how to use the Ready Reckoner in APPENDIX A

Percentage Reduction vs baseline model process	
19a. What is the % reduction in CO2 emissions from heat energy use?	<p>The appendix to the Ready Reckoner contains the typical energy use of processes and sub-processes expressed in terms of kWh / kg as this is a unit commonly used in facilities. We also provide an estimate of the proportions of electricity and heat energy used in a process or sub-process. We use a default conversion factor of 279.82 g of CO2 emissions per kWh so, in most cases the % energy reduction is exactly the same as the % of CO2 reduction.</p> <p>Where renewable energy solutions are employed, the energy consumption of a process may remain unchanged but the CO2 emissions would fall. In these cases we expect the % of energy replaced by renewables to be entered.</p>
19b. What is the % reduction in CO2 emissions from electricity energy use?	
19c. List the processes/ (sub-processes this refers to).	
20. Please upload the spreadsheet you have used to do the Effectiveness calculations. Please make sure you have consulted the application guidance in your calculations and provided all necessary underlying data.	Here we want to see how the solution arrives at its % reduction vs Aii's baselines.
21a. What type of green energy do you currently use? (PPA's, on site generation, green tariff)	Please provide details on contract length, source, and any other necessary details for us to assess the longevity of this source.
21b. What % does this green energy make up of your site's total energy?	
21c. How does the above percentage relate to this project?	If you are installing an electrification technology, we wish to know whether the green energy you procure is sufficient to cover the project scope. If your project is looking to reduce thermal energy needs at the facility, we'd like to know how the proportion of green electricity to thermal energy may shift as a result of the project. If the project is looking at storage, please explain how this will support

	increased or improved green electricity procurement as it relates to your overall energy demand.
22. What type of data, outcomes, and learnings will you share with Aii and the broader sector?	All grantees are required to share the outcomes of the grant project publicly in a pre-competitive manner. Please specify the data types—e.g., performance metrics, CO2 savings, technical reports, etc. Grantee reporting requirements can be found in Appendix C of the Application Guidance.150-word limit.
23. How will you ensure that the data and learnings generated from the project can be easily disseminated and used by other suppliers?	100-word limit.

2.5. Scale

Definition: Scale is a credible, realistic projection of how quickly a solution can be implemented to achieve its maximum potential savings, considering factors that either enhance or inhibit its growth.

Many promising solutions may face hurdles that will limit achieving their maximum potential reach. In the scale section, we are seeking credible, realistic projections of how quickly and extensively the proposed solution can be implemented and scaled, bearing in mind the practicalities, pinch points, and market forces that the applicant sees on the road ahead. Applicants are requested to estimate the percentage of the incumbent typical process that can realistically be replaced or improved by the solution in the coming six years (i.e., by 2030) and to provide the factors considered in their projection.

The most important scale barrier will often be the “business case” (e.g., costs, potential savings, and the corresponding payback/return on investment), which is why we request detailed information on this topic. Other barriers, for example, may include raw material supply issues; technical limitations; or legislative/regulatory policies that would impede adoption, number of machines, or amount of chemical that can be manufactured.

Applicants should be very clear with information regarding their existing market share, production volumes, competition, patents, and so forth when presenting projections.

Unlike the calculations for effectiveness and reach, it will be impossible for applicants to determine with certainty the speed and extent of scale for many solutions. We will assess the information provided in the application and may request further details where we believe scale projections to be overly optimistic. A willingness to work collaboratively, share knowledge, and even license/share intellectual property (IP) to maximize the scale potential of the solution will be viewed favorably.

Quantifying scale: Process summary

- Applicant to estimate the percentage of the incumbent typical process that can realistically be replaced or improved by the solution.
- Applicant to consider a timeframe of a) the end of project funding and b) the next six years (i.e., by 2030).
- Applicant to provide the factors considered in their projection.
- Aii to assess the information provided; further details may be requested if we believe scale projections to be overly optimistic.

Please see APPENDIX A for advice on how to estimate projected scale of a solution

Current & Projected Scale	
<p>24. What is the current state of commercialization of your solution?</p> <ul style="list-style-type: none"> • Pre-seed – solutions that are at a concept level and in the process of evaluating and establishing their impact potential. • Pilot – solutions that are in the process of testing their solution in order to demonstrate proof of concept. • Model – solutions that are working towards de-risking and reducing known barriers to scale. • Scale – solutions that are commercially viable with a proven go-to-market strategy. 	
<p>25. To the best of your knowledge, is this solution already being deployed in the sector? How many implementations and in which countries?</p>	<p>50-word limit.</p>

Current & Projected Scale	
26. How is the proposed solution scalable across other facilities?	Please describe the conditions under which the solution could be applied in other facilities. 50-word limit.
27. What realistic % of MPS could be achieved by 2030?	We appreciate that the maximum potential scale will be determined by the solution/technology provider and not the applicant. Still, we'd like your best estimate of the solution's scalability based on what you think the scalability of the technology and its potential for sectoral adoption is. The Ready Reckoner calculates the Maximum Potential Savings of tCO2e, which is a notional figure that assumes the solution is rolled out to its entire possible Reach. This question is asking you to estimate your solution's scale potential by 2030 and the proportion of the MPS likely to be achieved. Guidance on how to estimate this can be found in Appendix A.
28. Has this solution been applied in other sectors?	Please list the sectors.

Solution Costs and Barriers	
29. What is the cost of implementing this solution for implementing sites?	<p>Please provide the following two answers in USD. This refers to the total one-time implementation & recurring annual costs of the solution per site. This should be the regular cost of a site implementing the solution (i.e., when not part of a grant-funded program).</p> <p>USD</p> <ul style="list-style-type: none"> • One-time implementation cost • Recurring annual costs
30. Please provide (if any) the anticipated recurring annual financial savings of the solution in USD (e.g., using less purchased electricity), if applicable.	USD

Solution Costs and Barriers	
31. How do these costs (CAPEX & OPEX) compare to those of existing technologies?	To the best of your knowledge, please describe how the costs of this solution compare to the current technologies. With this question we wish to understand whether or not the capital and/or operating costs of the solution are a significant barrier. 50 word limit.
32. Are there any adverse impacts associated with this solution?	We expect all applicants to be transparent so that we can fully evaluate applications in their full context. Examples of adverse impacts include wastewater generation and biodiversity impacts. If yes, please describe.

2.6. Ready Reckoner Calculations

Using the guidance in Appendix A and B please complete the calculations for your solution in the Ready Reckoner: Solution Impact Evaluator and submit the results and the file in this section.

33. Please insert the following figures from your Ready Reckoner Calculation	
Reach (in MT CO ₂)	Please take these figures from your Ready Reckoner: Solution Impact Evaluator calculations. It is important to note that the results from this portion of the tool are in megatonnes (MT). If your MPS or projected annual savings come out as less than 1 MT, please express them in tCO ₂ e.
% Effectiveness (electricity)	
% Effectiveness (heat/direct fuel)	
MPS (MT CO ₂)	
Geographically Restricted MPS (If different from above) (MT CO ₂)	
Projected Annual Savings by end of funded project (MT CO ₂)	
Projected Annual Savings by 2030 (MT CO ₂)	
34. Please upload your completed Ready Reckoner: Solutions Impact Evaluator.	

2.7. Funding Request

Below, applicants must specify details on the requested grant funding. Please provide a summary of the funding request (in USD), duration, and added value it may generate (e.g., match funding from other sources). Proposals with anticipated or existing matched funding will receive preferential consideration. Please include any exchange rate, tax, and travel needs in your pricing – decisions can only be made based on the full funding amount. If invited to pitch, the applicant will be asked to provide line-item costing for detailed auditing of the funding request.

Funding request	
35. What is the total funding request from Aii?	<ul style="list-style-type: none"> • USD amount • Number of years
36. Please split the funding request per year of the project.	Fill in the table with the amount per year of the grant in USD. This should be based on the activities taking place each year, not the total funding request divided by the number of years. This implies a detailed project costing has taken place. Please note that funding will be disbursed at project milestones across the duration of the project.
37. Please split funding request into the following categories:	<p>A table will be provided to split the funding request into:</p> <ul style="list-style-type: none"> • Solution CAPEX • Personnel costs • Solution OPEX • Hard expenses (e.g. fabric) <p>(Please note that if invited to pitch, the applicant will have to break the funding down against the activities and deliverables of the grant project.)</p>
38. Please list any other funding sources secured for this project:	Fill in the table with any additional funding you may have already secured for this project.

Funding request	
39. What is the \$/tCO ₂ e for the grant project?	Please input the value calculated in the Ready Reckoner: Solutions Impact Evaluator. This should be the total project cost, not just the grant funded amount.
40. If your solution has any other benefits such as reducing water consumption, chemistry or social please describe these here.	50 word limit.
41. If you'd like to upload any other materials relevant to the project, please do so.	

3. Invitation to Pitch

Applicants invited to pitch will receive an email notifying them they have successfully progressed to the next stage of the process. If applicants do not receive an email by February, the applicant has not been successful. Please make sure primary and secondary contact details are provided in the application.

The purpose of the pitch is to bring the application to life and to give the CSPAC the chance to ask questions about the project, data, funding ask, scale plans, etc. A pitch template will be sent to the applicant ahead of the pitch. The applicant must restrict their pitch to the provided format and slide numbers to allow for fair comparison between pitches. Each presentation should be 35 minutes and will be followed by 10 minutes of Q&A. The total pitch session will be 45 minutes.

Ahead of the pitch, there will be an in-depth data review of the calculations submitted by the applicant. Please be prepared to respond to clarifying questions on calculation methods and data in that period. Further questions may also be asked during the pitch.

In addition to the presentation, the applicant will be asked to provide a Gantt chart to demonstrate the details and timelines associated with the grant project. Building on this, we will request a more detailed view of the funding request, which we expect to be broken down into specific line items that match the project plan. Please be prepared to defend the costs associated with the grant project as part of the pitch Q&A.

4. Application Feedback

Applicants who do not make it to the pitching stage will receive an automated email letting them know they were, unfortunately, unsuccessful. Due to the volume of applications, we will not provide tailored feedback to applicants that are not invited to the pitching stage. We will publish general insights from the applications once the grants have been awarded.

Only applicants who have been invited to pitch will receive specific feedback.

5. Appendices

5.1. Appendix A – Effectiveness Calculation & Ready Reckoner: Solutions Impact Evaluator

The Ready Reckoner is created using data from the WRI “Roadmap to Net Zero” report, other publicly available data sources, and subject matter experts’ professional judgment. It uses data from a master file that holds information on:

- volumes processed at each stage of production
- the typical energy use of individual processes and sub-processes (provided in the Ready Reckoner appendix)
- the typical split between electrical and heat energy (provided in the Ready Reckoner appendix)
- calculations for CO₂ emissions based on our default emission factor of 279.82 g CO₂ per kWh

This master file is created using typical industrial processes to allow comparisons of varied solutions, but if applicants believe the baseline data does not fairly represent their specific solution, we welcome feedback.

We strive to continuously improve the master data file and will revise it via expert input on an ongoing basis. Please note that the level of detail in the benchmark values in the tool varies by tier, reflecting the current state of available data. This will be updated annually as we expect industry data to improve.

In order to use the Ready Reckoner, applicants must have the following information at hand:

- **Detailed information on where the solution is applied in the textile manufacturing process (or, for circularity or quality improvement solutions, where the benefits are delivered).**
- **A calculation for the effectiveness of a solution in terms of % reduction of tCO₂e emissions for both electricity and heat energy, in relation to typical baseline processes detailed in the appendix of the Ready Reckoner.**
- For solutions that are geographically restricted and will remain geographically restricted (e.g., a factory project in a specific country), applicants must be able to estimate the % of relevant global industry that is conducted in that region (e.g., a project working with cotton spinners in Brazil would estimate that Brazilian spinning factories represent X% of all cotton spinning capacity).
- For solutions that are always going to be geographically restricted, applicants must decide if they will use the Aii default CO₂ emissions factor. If they wish to use a local emissions factor, they must have details of local factory fuel use and details of the fuel use for the local electrical grid.
- For solutions that are geographically restricted in a pilot phase with a view to global roll-out, there is no requirement to consider geographical restrictions.
- **A realistic projection of the speed of scale and roll-out of the solution**
 - **By the end of the funding period**
 - **By 2030**
- **The total funding request in USD.**

All applicants must input this key information into the Ready Reckoner. Applicants and Aii will be provided with information on the following to enable objective comparison of different solutions:

- The Reach of the solution
- The Maximum Potential Savings (MPS) of CO₂ (a combination of the Reach and the Effectiveness of the solution)
- Where relevant, any effect of geographical restrictions on MPS and any effect of local emission factors
- A projection of the CO₂ savings per annum based on projected scale and roll-out
- An estimate of the annual CO₂ savings per \$ of funding

The applicant can download the Ready Reckoner: Solutions Impact Evaluator from within the application.

5.2. How to Calculate the Effectiveness of the Solution

The appendix to the Ready Reckoner has a table containing the typical energy use for a tier, process, or sub-process in kWh / kg.

This figure is typical gross energy use (i.e., including inefficiency of boilers/gensets, underloading of machines, errors, etc.), and within the Ready Reckoner is a default conversion factor of 279.82 g CO₂ / kWh.

This kWh / kg figure is also supplemented with an estimate for the split between electrical energy and heat (or direct fuel use) energy.

The table also contains details of the model process used as the baseline. These must be used when providing figures for the Effectiveness of solutions to allow a fair and objective comparison of solutions.

For example:

If a solution enables a medium-shade reactive jet dyeing of cotton to be washed off in three baths @ 7:1 liquor ratio, the baseline model process of a 6-bath wash-off process must be used for calculation purposes, even if previously the applicant has compared their solution to a notional 8-bath wash-off process.

If a solution saves energy in the spinning of nylon yarns, the energy saving must be calculated against the spinning of a 170 dtex yarn.

- Calculate the % reductions in emissions due to electricity (this can be reducing electricity use, improving the efficiency of generation, and delivery or introduction of renewable energy) relative to the baselines provided in the Ready Reckoner appendix.
- Calculate the % reductions in emissions due to heat or direct fuel use (this can be reducing heat or fuel demand, improving the efficiency of generation, and delivery of steam or electrification with the introduction of renewable energy) relative to the baselines provided in the Ready Reckoner appendix.

How to Estimate Scale

When estimating the realistic scale of a solution the following should be considered:

- The MPS (maximum potential savings of CO₂) is calculated by combining the Reach of the solution and the % savings of the solution relative to baseline process figures
 - The MPS assumes the solution is rolled out to every single relevant process in every single relevant facility and is therefore a notional figure.
 - We need a realistic estimate for the % of MPS to which the solution will be applied a) by the end of project funding and b) by 2030.

Estimating scale is not straightforward, but we expect applicants to demonstrate how they have arrived at their figures and to apply the following type of logic:

- If it is reasonably anticipated that the solution will be applied to a certain tonnage of production, the figures should be compared to the volume figures in the Ready Reckoner appendix (e.g., if a solution for reducing the impact of polyester fiber manufacture is anticipated to be applied to 2 MT per year by 2030, it would represent $(2 \div 45.4 \times 100 = 4.41\%)$ of MPS).
- If the solution is to be rolled out on a facility-by-facility basis, we would expect a reasonable estimate of the facility's production capacity to be used. For example, it would be reasonable to assume that an average dyehouse has a daily capacity of around 15 tonnes or ~4320 tonnes per year. If a wet processing facility improvement program were rolled out to 200 facilities by 2030, it would represent ~864,000 tonnes (0.864 MT). From the Ready Reckoner appendix, it can be estimated that dyeing accounts for around 87.6 MT, so the scale would be ~1% of MPS.

- If a solution is an easy, low-cost, drop-in solution for part of the supply chain where there are limited numbers of a facility type (e.g., rope and slasher dyeing of indigo), it is conceivable that the scale could be much higher.
- Drop-in solutions to existing processes (e.g., new chemicals) that require no capital investment are seemingly very easy to scale in terms of *adoption*, but we also need to know about the scaling of production as this may be the limiting factor. If sufficient chemicals to service only 5% of potential industry can be produced by 2030, the scale will be capped at 5%.
- Similarly, if new machines need to be produced to deploy a solution, the numbers of machines that can actually be manufactured and their production capacity must be factored into the scale figure.

The CSPAC will determine whether the cost of a solution or any drawbacks compared to incumbent technology will negatively affect the scale.

5.3. How to use the Ready Reckoner

1. Select the exact parts in the supply chain where the solution is applied.
 - a. If the solution applies to a sub-process only (e.g., only the dye application sub-process of a dyeing process), then the sub-process alone should be selected.
 - b. If the solution applies all sub-processes within a process, please only select the whole process – do not select the process AND the sub-processes.

Note: The tiers drop-down selection is for informational purposes only.

Section 1 - Where is the solution applied
 (Tiers boxes are info only)
 (select yes/no for processes and sub-processes)

Tiers			▼
Tier 4	Fibres		No
Tier 3	Yarns		No
Tier 2	Fabrics		No
Tier 2	Wet Processing		No
Tier 1	Garment / Product Manufacture		No
Other	<i>provide details</i>		
Fibre Production			
All fibre production			No
Polyester	Extraction + Polymer		Yes
Cotton	Agriculture + Gin		No
Viscose	Agriculture + Fibre		No
Nylon	Extraction + Polymer		No
Acrylic	Extraction + Polymer		No

- The Reach (i.e., % of the total industry CO₂ emissions) will be automatically calculated.
- Effectiveness - Input the % reductions for emissions due to electricity and heat.

Section 2. Effectiveness of the solution (Insert % savings relative to Aii baselines)	
	% saving vs Aii baseline process
CO2 - electricity	20.00%
CO2 - heat/direct fuel	34.00%
	▲

4. The MPS (Maximum Potential Savings of CO₂) is automatically calculated.

Section 3. Geographical Limitations		
(leave if solution is globally applicable)		
(Estimate % of relevant industry affected if geographically restricted)		
(Amend fuel mix for local conditions if desired)		
▼		
Is the solution applicable globally?	Yes	
Is the solution geographically restricted?	No	
▼		
estimated % of the relevant global industry that selected region represents?	0.00%	
For a geographically restricted solution do you want to use default emission factor?	No	
For a geographically restricted solution, do you want to use a tailored emission factor?	Yes	

5. Select whether the project is global or geographically restricted (the default is global).
 - If the project is geographically restricted, estimate the % of relevant global industry that is carried out in that region.

-If the project is geographically restricted during the funding stage but will then be global, please use the default global option.

6. For globally restricted solutions, select whether you will use our default emissions factors or whether you want to create a local emission factor.

- To create a local emission factor, please fill in data for the % split of factory fuel type, fuel types for the local grid, and the split between grid and on-site electricity for the specific location.

7. The MPS after any geographical restrictions will be automatically calculated.

On-site heat / electricity		
Fuel	% share	g CO2 / kWh
Gas (40)	40	202
Coal (40)	40	358
Biomass (10)	10	410
Diesel (10)	10	266
GHG-free (0)	0	0
Combined	Σ must=100	291.6
Grid Electricity		
Fuel	% share	g CO2 / kWh
Coal (32.5)	32.5	202
Gas (32.5)	32.5	358
Biomass (7.5)	7.5	410
Diesel (7.5)	7.5	266
GHG-free (20)	20	0
Combined	Σ must=100	232.7
Grid:On-site electricity split		
On-site (80)	80	
Grid (20)	20	
Combined	Σ must=100	279.82
Default		279.82

8. Scale / Roll-out - Enter the % of MPS that can be realistically achieved during the project funding cycle and by 2030.
- The MPS (maximum potential saving of CO₂) represents the saving if there was a complete roll-out of the solution, which will be impossible to achieve in almost every case.
 - Projected roll-out is subjective, but figures will be sense-checked. For example, Aii will use typical facility daily or yearly capacities.

Section 4. Scale-up and Roll-out	
(The MPS assumes a complete roll-out into the industry globally or in the restricted geographical area indicated - insert realistic projections of the % of MPS that will be achieved)	
	▼
What % of the MPS will realistically be achieved by the end of the project funding?	10.00%
What % of the MPS will realistically be achieved by the end of 2030?	20.00%

9. The projected annual savings of CO₂ will be automatically calculated.

10. Enter the total amount of funding requested.

	1,390,132 t per
Cost / Benefit	▼
Project Cost	\$100,000
Tonnes / year saving ÷ project cost (end of project)	6.95
Project Cost	\$100,000
Tonnes / year saving ÷ project cost (2030)	13.90

11. The cost-benefit figure will be automatically calculated.

5.4. Appendix B – Example Calculations Ready Reckoner: Solutions Impact Evaluator

There is an incredibly diverse range of potential solutions to reduce tCO₂e emissions in the supply chain, and the Ready Reckoner covers most scenarios in a relatively straightforward way.

However, others may be a little more complex.

Example 1: A wet processing mill improvement program, with a verified history of saving 10% of heat energy and 5% of electrical energy, ready for global rollout

Section 1: Select “All wet processing” from the drop-down box.

Section 2: Input 5% in the electricity and 10% in the heat box for effectiveness.

Section 3: Confirm that the solution is applicable globally.

Section 4: Provide a realistic figure for the % of MPS that can be achieved a) by the end of the grant’s funding cycle and b) by 2030.

Example 2: A solar PV project restricted to cotton weavers in India that can save 25% of electrical energy.

Section 1: Select “Cotton Weaving” from the drop-down box.

Section 2: Input 25% in the electricity and 0% in the heat box for effectiveness.

Section 3: Select “No” for applicable globally and “Yes” for geographically restricted.

Enter a figure for the % of global cotton weaving that you believe is carried out in India.

Choose if you wish to use emission factor defaults.

If you wish to use tailored emission factors, choose this option and enter regional factory fuel data, regional grid fuel data, and the regional split between grid and on-site electricity generation.

Section 4: Provide a realistic figure for the % of MPS that can be achieved a) by the end of the grant funding cycle and b) by 2030.

Example 3: A new dye that enables batch-dyed polyester to be washed off in a single bath, halving the electricity and heat energy use in the wash-off process (preparation and dyeing remain unaffected).

Section 1: Select the “wash-off” sub-process box for polyester fiber/yarn dye and polyester fabric batch dye.

Section 2: Input the % electricity and % heat savings FOR THE SUB-PROCESS in the effectiveness box (i.e., 50% for each).

Section 3: Confirm that the solution is applicable globally.

Section 4: Provide a realistic figure for the % of MPS that can be achieved a) by the end of the grant funding cycle and b) by 2030.

Example 4: A recycling project that takes end-of-life dyed polyester garments, shreds them, and re-uses the dyed yarns to make dyed yarns that require no dyeing, which can be made into weft-knitted fabrics with no wet processing. Project aims to process 2000 tonnes per annum by the end of project funding.

This not a simple situation and requires a nuanced approach.

The key to calculating the projected annual savings is:

- Focus on where in the supply chain the benefits are *delivered*.
- Give credit to the innovator for potential reductions (e.g., the reduced use of virgin materials). Unless a project is shared with a major fiber producer, it may well be out of the hands of the solution as to whether their re-use of material actually results in less virgin fiber being produced, but we will assume that is the case.

In this example, the reuse of dyed fibers will reduce the need for virgin fibers. It will not reduce the need for spinning or fabric production; it will reduce the need for dyeing, and garment-making will remain unchanged.

The key to getting sensible figures is to be completely open and honest with the scale.

- Section 1: Select “polyester fiber – extraction and polymerization” and all processes relating to polyester dyeing from the drop downs.
- Section 2: Since the processes are eliminated, input 100% in the electricity and 100% in the heat box for effectiveness NOTE: This will generate a huge figure for MPS
- Section 3: Select globally-applicable or regionally restricted and emissions factors, as appropriate. Bear in mind this applies to the original processing of virgin materials and will not be possible unless the provenance of the original fiber and dyeing were known.
- Section 4: Input a realistic scale for the solution. The tonnage of virgin fibers is very large (for polyester it is 45.4 megatonnes) so the % of MPS achievable may be a fraction of 1%. If your value shows as 0%, please check the Excel input field at the top of the sheet to ensure the entered figure is correct. In this case, with a globally applicable solution, the % = $2000 / 45,400,000 * 100 = 0.0044\%$

Finally, you must generate a figure for the projected annual savings via the Ready Reckoner and then subtract the impacts of the recycling process.

Example 5: A quality improvement device that eliminates nylon weaving faults, reducing fabric wastage from 1% to 0%

Note: Volume of woven nylon = 2.1 megatonnes

The key to calculating the projected annual savings is:

- Focus on where in the supply chain the benefits are *delivered*.
- Give credit to the innovator for potential reductions – even if it is out of their hands and cannot be proved that they will be delivered.

On the face of it, this is a simple solution that delivers savings in weaving, but it is actually complex and may require more than one Ready Reckoner calculation.

Eliminating weaving faults would also mean that you can save 1% of the nylon fibers and 1% of the nylon yarns that are used in woven fabrics.

Additionally, weaving faults are not always easy to detect before dyeing, so it is reasonable to assume that at least half of the faults would go undetected, be dyed, and then rejected after dyeing. It is fair to say that 0.5% of the impacts of woven nylon dyeing could be saved.

Calculation 1 – 1% savings in weaving

- Section 1: Select “Nylon Weaving” from the drop-down box.
- Section 2: Input 100% in the electricity and 100% in the heat box for effectiveness (since the processes are eliminated).
- Section 3: Confirm that the solution is applicable globally.
- Section 4: Input the scale: 2.10 MT of nylon is woven out of a total of 3.5 MT. The scale is $(2.1/3.5) \times 1\% = 0.6\%$.

Calculation 2 – 1% savings in virgin nylon used for woven fabric

- Section 1: Select “Extraction and Polymer” from the dropdown box.
- Section 2: Input 100% in the electricity and 100% in the heat box for effectiveness (since the processes are eliminated).
- Section 3: Confirm that the solution is applicable globally.
- Section 4: Input the scale: 2.10 MT of nylon is woven out of a total of 3.5 MT. The scale is $(2.1/3.5) \times 1\% = 0.6\%$.

Calculation 3 – 1% savings in nylon yarns used for woven fabric

- Section 1: Select “Nylon Filament Spinning” from the dropdown box.
- Section 2: Input 100% in the electricity and 100% in the heat box for effectiveness (since the processes are eliminated).
- Section 3: Confirm that the solution is applicable globally.
- Section 4: Input the scale: 2.10 MT of nylon is woven out of a total of 3.5 MT. The scale is $(2.1/3.5) \times 1\% = 0.6\%$.

Calculation 4 – 0.5% savings in dyeing of woven nylon fabric

- Section 1: Select “Nylon Fabric Dye” from the dropdown box.

Section 2: Input 100% in the electricity and 100% in the heat box for effectiveness (since the processes are eliminated).

Section 3: Confirm that the solution is applicable globally.

Section 4: Input the scale: 2.10 MT of nylon is woven out of a total of 3.5 MT. The scale is $(2.1/3.5) \times 0.5\% = 0.3\%$.

In this example, the solution provider would be required to complete separate calculations, add the totals, and then subtract the impacts of the solution itself.

5.5. Appendix C – Grant Reporting Requirements

Grant impact reporting requirements

Aii expects the Grantee to submit impact data monitoring and project milestone and progress monitoring for quarterly reporting. This is summarized in one spreadsheet that we work with the Grantee to develop according to the requirements of their grant project. An Aii program manager will be assigned to monitor this grant. Any major obstacles that risk project success, on-time, and/or in-budget implementation shall be reported to the program manager immediately, at latest during the monthly call, and documented by a follow-up email.

In each quarterly progress call, there must be an update on the status of project implementation, a review of deliverables associated with that quarter, as well as an update on the status of data and evidence reporting. The purpose is twofold: 1. to demonstrate the completion of milestones to receive scheduled payments and 2. to ensure impact reporting demonstrates the projected emissions reductions and meets quality standards for the final report and, ultimately, the Climate Solutions Portfolio page. Reporting will also be shared with brand facilities that are part of the project and have a relationship with Aii.

Please note that Aii is transitioning towards a third-party verified impact report, meaning projects' impact data should be of a verifiable quality. Aii therefore reserves the right to conduct third-party verification of the data reported by grantees at any point in time. Aii will cover the costs of this verification and will be the liaison between the Grantee and the verifying body.

A template will be provided at the kick-off that clearly states the quarterly progress reporting requirements. If the Grantee has any questions or concerns associated with the reporting requirements and associated evidence, these quarterly calls are a good place to discuss those. The Aii team has extensive expertise in program data collection and emissions reporting, and can provide suggestions and support in this area.

As deemed appropriate, Aii reserves the right to conduct a site visit. This would be conducted by local Aii staff to review the project. These visits are scheduled in agreement with the grantee with the purpose of learning and vetting the funded solution.

Aii will provide the template to be used for the final report. This will include a summary of how the funding was used (with supporting evidence), a final description of the project, and the outcomes from an impact perspective. The report should include learnings that will support future implementation and scaling. This report is intended to not only serve the reporting obligations to the Lead Funders and other Aii stakeholders but also support the Grantee in taking the next steps to scale. This will also contribute to final communications published externally upon Grantee approval.

Solutions Page

Grantees listed on the Climate Solutions Portfolio must display their projected project impact once they have been awarded the grant. After project completion, the grantee will become a Registrant and their page will be updated to show actual impact. The purpose of being a Registrant, and of having an up-to-date solutions page, is to demonstrate impact to date and impact potential to brands, facilities, and the financial community. These interested parties may then contact the Registrant to inquire about further deployment and scaling of the solution. By featuring this information transparently, the Registrant is supporting the industry's ability to measure contributions to 2030 goals.

The grantee agrees to transparently feature its solution and the solution's impact on Aii's Climate Solutions Portfolio platform and update the information on an annual basis, at minimum, following the grant project. These requirements will be covered in detail in the Grant Agreement.

The text below is an example of monitoring and reporting activity required for the solutions page.

The information published on the platform will include, where applicable:

- Number of brands using the solution
- Number & country of facilities using the solution

- Tier in which the solution takes place
- Average project/implementation duration
- Average investment per project (brand & facility)
- tCO₂e, energy, & any other KPI savings
 - Total historical
 - Average savings per facility on an annual basis
 - Total solution savings per year
- Financial savings associated with the solution
- Payback period
- Investment cost per tCO₂e reduced